



the event of any variance between the fees determined by Applicant and those determined by the PTO, please charge any such variance to undersigned's Deposit Account No. 02-0375.

Respectfully submitted,  
BAKER BOTTS, L.L.P.

Dated: August 12, 2004

By

James B. Arpin  
Registration No. 33,470

Baker Botts, L.L.P.  
The Warner - Suite 1300  
1299 Pennsylvania Avenue, N.W.  
Washington, D.C. 20004-2400  
Tel: (202) 639-7700  
Fax: (202) 639-7890  
JBA/dh  
Enclosures

FORM PTO-1449 (Modified)  
(REV. 7-80)U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.

APPLICATION NO.

066479.0114

10/748,688

## LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

APPLICANT

J. Theodore Cherry

FILING DATE

December 31, 2003

GROUP

2632

## U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
2002	0 1 0 3 6 0 3	8/1/02	Kawashima			
	4 6 1 6 3 2 0	10/7/86	Kerr <u>et al.</u>			
	4 8 8 5 7 2 4	12/5/89	Read <u>et al.</u>			
	5 4 1 2 6 2 3	5/2/95	Asada <u>et al.</u>			
	5 4 2 0 3 8 0	5/30/95	Harben <u>et al.</u>			
	5 6 2 5 3 4 8	4/29/97	Farnsworth <u>et al.</u>			

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
WO 00 5 8 7 5 6	10/5/00	Europe				X	

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

	Seismic Array Observation Network System, S. Matsuoka et al., Vol. 34, No. 7, 1983, Pages 1147-1156
	A Mobile Array For Digital Recording And Interpretation of Local Earthquakes - A Prerequisite For The Prediction of Strong Aftershocks, M. Steinwachs, Proc. of the 7th European Conf. on Earthquake Engineering, 1982, Pages 179-187
	Automatic Hypocenter Determination of Volcano Induced Seismic Transients Based on Wavefield Coherence - An Application To The 1998 Eruption of Mt. Merapi, Indonesia, J. Wasserman, Vol. 110, 2001, Pages 57-77

EXAMINER

DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.